

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S317	231	register adj history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S318	4906	index adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S319	600	(register adj type) same address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S320	265	map\$4 same (register near type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04

EAST Search History

S32 1	64	(US-20030154028-\$ or US-20040255099-\$ or US-20020184613-\$ or US-20010056341-\$ or US-20030135718-\$ or US-20050071822-\$ or US-20040088691-\$ or US-20040030962-\$ or US-20030192034-\$ or US-20030110476-\$ or US-20030088854-\$ or US-20020199173-\$ or US-20020144235-\$ or US-20020004933-\$ or US-20010034880-\$ or US-20040162717-\$).did. or (US-4879646-\$ or US-5446876-\$ or US-5978584-\$ or US-6006033-\$ or US-6009270-\$ or US-6088790-\$ or US-6829733-\$ or US-6701515-\$ or US-7080289-\$ or US-5881288-\$ or US-5862336-\$ or US-7093236-\$ or US-6145074-\$ or US-5857077-\$ or US-5761474-\$ or US-4819234-\$ or US-7080365-\$ or US-7093108-\$ or US-7137105-\$ or US-7134116-\$ or US-7107578-\$ or US-6848097-\$ or US-6728949-\$ or US-6493868-\$ or US-6083281-\$ or US-6871298-\$). did. or (US-6487715-\$ or US-6021261-\$ or US-7150002-\$ or US-7093249-\$ or US-6971084-\$ or US-6282701-\$ or US-6105051-\$ or US-6067641-\$ or US-5877764-\$ or US-5168554-\$ or US-4730315-\$ or US-7055136-\$ or US-7028291-\$ or US-6973417-\$ or US-6954923-\$ or US-6826748-\$ or US-6804814-\$ or US-6792599-\$ or US-6240544-\$ or US-6463553-\$ or US-4951195-\$ or US-6611276-\$ or US-6502210-\$ or US-6557119-\$ or US-6487683-\$ or US-6671827-\$ or US-5727209-\$). did. or (US-6434741-\$ or US-6591378-\$ or US-5852726-\$ or US-5974538-\$ or US-5333283-\$ or US-6047351-\$).did.	US-PGPUB; USPAT	OR	ON	2007/10/11 11:04
S32 2	25	S321 and (program adj counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04

EAST Search History

S32 3	5808	option with variable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S32 4	2608	"i/o" adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S32 5	329	S324 and (index adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S32 6	38848	(instruction or code) near (list\$4 or chart\$4 or graph\$4 or table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S32 7	128	S326 and ((operand or variable or argument or parameter) near dependenc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S32 8	256	operand near map\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S32 9	218	S328 and register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S33 0	2391	(operand or variable or argument) near dependenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04

EAST Search History

S33 1	1110	(program adj counter) with instruction with cycle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S33 2	987	(operand or variable) with (second adj instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S33 3	104	(trac\$4 near3 operand) with instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S33 4	30	S333 and debug\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04

EAST Search History

S33 5	44	(US-20050071822-\$ or US-20040088691-\$ or US-20030192034-\$ or US-20030110476-\$ or US-20040030962-\$ or US-20020144235-\$ or US-20030088854-\$ or US-20020004933-\$ or US-20010034880-\$ or US-20020199173-\$ or US-20040162717-\$).did. or (US-6792599-\$ or US-7055136-\$ or US-7028291-\$ or US-6973417-\$ or US-6804814-\$ or US-6954923-\$ or US-6826748-\$ or US-6591378-\$ or US-6557119-\$ or US-6502210-\$ or US-6463553-\$ or US-6487683-\$ or US-6434741-\$ or US-6240544-\$ or US-6009270-\$ or US-5978584-\$ or US-4819234-\$ or US-4879646-\$ or US-6006033-\$ or US-5446876-\$ or US-6088790-\$ or US-5761474-\$ or US-6487715-\$ or US-6021261-\$ or US-4951195-\$ or US-7150002-\$). did. or (US-7093249-\$ or US-6971084-\$ or US-6671827-\$ or US-6282701-\$ or US-6105051-\$ or US-6067641-\$ or US-5877764-\$ or US-5727209-\$ or US-5168554-\$ or US-6611276-\$ or US-4730315-\$). did.	US-PGPUB; USPAT	OR	ON	2007/10/11 11:04
S33 6	1	S335 and (operand adj dependenc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S33 7	41	("4430706" "4755966" "4858104" "4891753" "4914579" "5072364" "5093778" "5129067" "5136697" "5193167" "5201057" "5222240" "5283873" "5283874" "5287467" "5295248" "5327547" "5333283").PN. OR ("5974538"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/11 11:04
S33 8	4	("i/o" and "non-i/o") adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04

EAST Search History

S33 9	129	tracing near (operand or variable or argument)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S34 0	3387	717/124-135.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S34 1	1766	(program adj counter) with cycle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S34 2	4482	(operand or parameter or argument or variable or pipeline) near dependenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S34 3	3583	instruction adj (list or table or graph)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S34 4	1784	processor near simulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S34 5	3387	717/124-135.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S34 6	67	S345 and (processor near simulat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04

EAST Search History

S34 7	947447	(profil\$4 or (call adj structure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S34 8	17512	S347 and (tracing or tracer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S34 9	22	("4594655" "4734852" "5128890" "5488729" "5838941" "5839928" "5887160" "6145074" "6256721" "6430679" "6857060").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S35 0	10252	S348 and (operand or argument or parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S35 1	92	S327 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S35 2	1110	S350 and debug\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S35 3	435	S352 and (instruction near (list\$4 or set or group\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S35 4	6	S353 and (processor near simulat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04

EAST Search History

S35 5	16	S335 and (program\$4 adj counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S35 6	7	S355 and tracing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S35 7	4	S335 and (instruction near list\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S35 8	5	S335 and (trac\$4 near (operand or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S35 9	171	(user adj interface) and (tracing with variable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S36 0	4365	(operand or parameter or argument or variable) near dependenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S36 1	138	S360 and (tracing or tracer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S36 2	126	S361 and (@pd<"20031113" or @ad<"20031113" or @prad<"20031113" or @rlad<"20031113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04

EAST Search History

S36 3	167	(register adj type) with (detect\$4 or determin\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S36 4	3387	717/124-135.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S36 5	233	S364 and (instruction and operand and debug\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S36 6	454	S318 and (register near type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S36 7	625	S331 and operand	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S36 8	1784	processor near simulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S36 9	3957	703/13-16,20-22.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S37 0	1912	712/216,227,245.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04

EAST Search History

S37 1	324	(S340 or S369 or S370) and (processor near simulat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S37 2	77	S371 and operand and register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S37 3	60	S372 and (@pd<"20031113" or @ad<"20031113" or @prad<"20031113" or @rlad<"20031113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S37 4	5	((instruction near type) and (register near type)) same (instruction near3 attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S37 5	637	((instruction near type) and (register near type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S37 6	6	((instruction near type) and (register near type)) same ((program adj counter) or pc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S37 7	6	(instruction near attribute) with ((program adj counter) or pc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S37 8	10	("20020062208" "20030036896" "5 604889" "5819071" "7133820").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04

EAST Search History

S37 9	17	(instruction adj operand) near (map\$4 or table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S38 0	32	operand near look\$1up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S38 1	12	(instruction adj attribute) near (map\$4 or table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04

EAST Search History

S38 2	91	(US-20030088854-\$ or US-20020199173-\$ or US-20030154028-\$ or US-20020004933-\$ or US-20030135718-\$ or US-20040162717-\$ or US-20040088691-\$ or US-20020184613-\$ or US-20050071822-\$ or US-20040255099-\$ or US-20040030962-\$ or US-20030192034-\$ or US-20030110476-\$ or US-20020144235-\$ or US-20010034880-\$ or US-20010056341-\$ or US-20020032559-\$ or US-20020062208-\$).did. or (US-6973417-\$ or US-7150002-\$ or US-6848097-\$ or US-6728949-\$ or US-6493868-\$ or US-6083281-\$ or US-6047351-\$ or US-5974538-\$ or US-5852726-\$ or US-5333283-\$ or US-6408428-\$ or US-5964893-\$ or US-5564028-\$ or US-5896536-\$ or US-5148538-\$ or US-5784552-\$ or US-5450555-\$ or US-7107578-\$ or US-7055136-\$ or US-7028291-\$ or US-7137105-\$ or US-7134116-\$ or US-6611276-\$ or US-6006033-\$ or US-6792599-\$ or US-5446876-\$). did. or (US-6088790-\$ or US-6954923-\$ or US-6829733-\$ or US-6826748-\$ or US-6804814-\$ or US-6591378-\$ or US-6502210-\$ or US-6487715-\$ or US-6487683-\$ or US-6463553-\$ or US-6434741-\$ or US-4879646-\$ or US-6282701-\$ or US-6240544-\$ or US-6145074-\$ or US-6105051-\$ or US-6067641-\$ or US-4951195-\$ or US-4730315-\$ or US-6701515-\$ or US-7080365-\$ or US-6021261-\$ or US-6009270-\$ or US-6971084-\$ or US-6671827-\$ or US-5978584-\$ or US-6557119-\$). did. or (US-5877764-\$ or US-5862336-\$ or US-5857077-\$ or US-5881288-\$ or US-5727209-\$ or US-5168554-\$ or US-4819234-\$ or US-5761474-\$ or US-6871298-\$ or US-7093249-\$ or US-7093236-\$ or US-7093108-\$ or US-7080289-\$ or US-3698007-\$ or US-5167023-\$ or US-5301302-\$ or US-6230114-\$ or US-6263302-\$ or US-6584436-\$ or US-7133820-\$).did.	US-PGPUB; USPAT	OR	ON	2007/10/11 11:04
----------	----	--	--------------------	----	----	------------------

EAST Search History

S38 3	19	S382 and (instruction near (map\$4 or table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S38 4	273	operand adj dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S38 5	272	S384 and instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S38 6	79	S385 and debug\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S38 7	406	S368 and (instruction near (set or list\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S38 8	108	S387 and (user near3 (select\$4 or choos\$4 or pick\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S38 9	16833	intel.as.	US-PGPUB; USPAT	OR	ON	2007/10/11 11:04
S39 0	90	donald near hooper.in.	US-PGPUB; USPAT	OR	ON	2007/10/11 11:04
S39 1	532	S364 and @pd>="20061212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04

EAST Search History

S39 2	1	S366 and ("non-i/o" adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S39 3	19	("3373408" "3940745" "5168554" "5339415" "5369570" "5727209" "5802371" "5812133" "5877764" "6067641" "6105051" "6282701").PN. OR ("6611276").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/11 11:04
S39 4	3	("6687898" "6363523").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S39 5	9	S342 and (processor near simulat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S39 6	89	S339 and instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S39 7	4	("4730315" "4821220").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S39 8	50	S343 and S344	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S39 9	3	"6611276".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04

EAST Search History

S40 0	4	((program adj counter) or pc or pcv) with (operand near map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S40 1	2	S359 and (tracing adj option)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S40 2	72	S329 and (program adj counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S40 3	4	S321 and ((program adj counter) same cycle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S40 4	8	(program or instruction) adj counter adj history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S40 5	9	S389 and (instruction and operand and thread and register).clm.	US-PGPUB; USPAT	OR	ON	2007/10/11 11:04
S40 6	32	S325 and (register adj type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S40 7	92	determin\$4 with (register adj type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S40 8	2	S321 and ((program adj counter) with cycle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04

EAST Search History

S409	21	S322 and cycle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S410	36	S319 and ("i/o" near register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S411	17	S317 and (index adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S412	8	program adj counter adj history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S413	8	(instruction adj map\$4) same (instruction adj type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S414	19	(user adj interface) and (tracing adj option)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S415	40	S320 and (instruction near type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S416	32	S340 and (index adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04

EAST Search History

S41 7	99	("5964893" "5704034" "5737516" "5768575" "6223280" "6446094" "5781753" "6131157" "5623615" "5553256" "5655096" "5805849" "6101597" "6393550" "6848074" "20030028844" "5903719" "20050108689" "6463553" "5522053" "6070235" "6516409" "6055621" "5317720" "5333296" "5394529" "5481689" "4802086" "5228131" "5434986" "5450555" "5600811" "5675768" "5822788" "6055622" "6311260" "5675758" "5802339" "6195745" "5784552" "5896521" "6141791" "6499123" "4763245" "4991080" "5261107" "5355457" "5978910" "6223280" "6212629").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S41 8	29	S391 and operand and trac\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S41 9	23	S359 and S323	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S42 0	21	S332 and (trac\$4 near3 operand)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S42 1	53	eric near walker.in.	US-PGPUB; USPAT	OR	ON	2007/10/11 11:04

EAST Search History

S42 2	51	(US-20050071822-\$ or US-20040088691-\$ or US-20030192034-\$ or US-20030110476-\$ or US-20040030962-\$ or US-20020144235-\$ or US-20030088854-\$ or US-20020004933-\$ or US-20010034880-\$ or US-20020199173-\$ or US-20040162717-\$ or US-20030154028-\$ or US-20040255099-\$).did. or (US-6792599-\$ or US-7055136-\$ or US-7028291-\$ or US-6973417-\$ or US-6804814-\$ or US-6954923-\$ or US-6826748-\$ or US-6591378-\$ or US-6557119-\$ or US-6502210-\$ or US-6463553-\$ or US-6487683-\$ or US-6434741-\$ or US-6240544-\$ or US-6009270-\$ or US-5978584-\$ or US-4819234-\$ or US-4879646-\$ or US-6006033-\$ or US-5446876-\$ or US-6088790-\$ or US-5761474-\$ or US-6487715-\$ or US-6021261-\$ or US-4951195-\$ or US-7150002-\$). did. or (US-7093249-\$ or US-6971084-\$ or US-6671827-\$ or US-6282701-\$ or US-6105051-\$ or US-6067641-\$ or US-5877764-\$ or US-5727209-\$ or US-5168554-\$ or US-6611276-\$ or US-4730315-\$ or US-7093236-\$ or US-7093108-\$ or US-7080289-\$ or US-6829733-\$ or US-5881288-\$ or US-5862336-\$ or US-5857077-\$ or US-7080365-\$ or US-6145074-\$).did.	US-PGPUB; USPAT	OR	ON	2007/10/11 11:04
S42 3	20	("20020122062" "20020124042" "20020124205" "20020124241" "5261097" "5504881" "5600789" "5825361" "5953530" "6002868" "6023773" "6067639" "6077304" "6167455" "6223228" "6336088" "6397378" "6611276" "6681384" "6684385").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/11 11:04
S42 4	21	S334 and (@pd<"20031113" or @ad<"20031113" or @prad<"20031113" or @rlad<"20031113")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04

EAST Search History

S42 5	41	S330 and (instruction near list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S42 6	4	S389 and (instruction and operand and user).clm.	US-PGPUB; USPAT	OR	ON	2007/10/11 11:04
S42 7	8	S422 and (processor near simulat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S42 8	96	S388 and (operand or variable or argument or parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04

EAST Search History

S42 9	91	(US-20020032559-\$ or US-20020062208-\$ or US-20040088691-\$ or US-20050071822-\$ or US-20040255099-\$ or US-20040030962-\$ or US-20030192034-\$ or US-20030154028-\$ or US-20030135718-\$ or US-20030110476-\$ or US-20030088854-\$ or US-20020199173-\$ or US-20020184613-\$ or US-20010056341-\$ or US-20040162717-\$ or US-20020144235-\$ or US-20020004933-\$ or US-20010034880-\$).did. or (US-5761474-\$ or US-5564028-\$ or US-6584436-\$ or US-6263302-\$ or US-6230114-\$ or US-7107578-\$ or US-7055136-\$ or US-7028291-\$ or US-7137105-\$ or US-7134116-\$ or US-3698007-\$ or US-5301302-\$ or US-5167023-\$ or US-6611276-\$ or US-6282701-\$ or US-6105051-\$ or US-7150002-\$ or US-6973417-\$ or US-6954923-\$ or US-6792599-\$ or US-6728949-\$ or US-6701515-\$ or US-6591378-\$ or US-6557119-\$ or US-6502210-\$ or US-6463553-\$). did. or (US-6240544-\$ or US-6145074-\$ or US-6083281-\$ or US-6021261-\$ or US-6009270-\$ or US-5978584-\$ or US-5974538-\$ or US-5862336-\$ or US-5852726-\$ or US-5333283-\$ or US-4879646-\$ or US-4730315-\$ or US-6829733-\$ or US-7093249-\$ or US-6971084-\$ or US-6671827-\$ or US-6871298-\$ or US-6067641-\$ or US-5877764-\$ or US-5727209-\$ or US-5168554-\$ or US-6487715-\$ or US-6487683-\$ or US-6493868-\$ or US-6848097-\$ or US-4819234-\$ or US-6826748-\$). did. or (US-6804814-\$ or US-6434741-\$ or US-6088790-\$ or US-7093236-\$ or US-6047351-\$ or US-6006033-\$ or US-7093108-\$ or US-5881288-\$ or US-7080289-\$ or US-5857077-\$ or US-5446876-\$ or US-4951195-\$ or US-7080365-\$ or US-5964893-\$ or US-6408428-\$ or US-5148538-\$ or US-5784552-\$ or US-5896536-\$ or US-5450555-\$ or US-7133820-\$).did.	US-PGPUB; USPAT	OR	ON	2007/10/11 11:04
----------	----	--	--------------------	----	----	------------------

EAST Search History

S43 0	53	S429 and ((program adj counter) or pc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:04
S43 1	29	("20020073402" "20020087950" "20020100019" "20020100024" "20020124241" "20030005415" "20030014736" "20030040898" "20030149961" "20030154463" "20030167459" "20030177476" "20030217354" "20030233634" "20040030745" "20040030870" "20040040013" "20040205719" "20040205747" "20060150007" "5611043" "6042614" "6275980" "6418543" "6516460" "6598222" "6678884" "6681384" "6859892").PN.	US-PGPUB; USPAT	OR	ON	2007/10/11 11:33
S43 2	4	(operand near3 look\$1up) with ((program adj counter) or pc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:59
S43 3	1	(attribute near3 look\$1up) with ((program adj counter) or pc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 11:59
S43 4	32	operand near navigat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 16:03
S43 5	3048	instruction near counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/12 09:23
S43 6	3	(instruction near counter) with ((attribute or parameter or argument) near instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/12 09:23